CANADIAN GEOTECHNICAL JOURNAL

REVUE CANADIENNE DE GÉTECHNIQUE

Volume 27, 1990
Author Index / Index des auteurs

Alfaro, M., 531
Baker, T.H.W., 255
Balchin, D., 393
Barbour, S.L., 398
Barone, F.S., 177
Bekkouche, N., 285
Benda, L.E., 409
Bergado, D.T., 531
Bergeron, L., 568
Bérubé, M.-A., 294
Blanchet, D., 701
Booker, J.R., 484
Bouclin, G., 568
Bozozuk, M., 315
Buchanan, P., 659
Burak, J.P., 520
Burgess, M.M., 233
Byrne, P.M., 441, 752, 802
Cameron, I., 255
Campanella, R.G., 167, 557
Cao, Y.L., 320
Chalaturnyk, R.J., 224
Chan, D.H., 195
Chan, D.H.K., 224
Chapuis, R.P., 47, 216, 647
Cherry, J.A., 402
Cherubini, C., 526
Chong, K.C., 531
Choquette, M., 294
Chowdhury, R.N., 145
Chung, E.K.F., 1
Craig, W.H., 355
Crawford, C.B., 315
Cruden, D.M., 408, 698, 835
Cundy, T.W., 409
Daria, P.A.M., 531
De Sousa Coutinho, A.G.F., 737
Dickin, E.A., 546
Diene, M., 305
Dixon, D.A., 405
Domaschuk, L., 185
Eigenbrod, K.D., 520
El Sharnouby, B., 813
Fannin, R.J., 676
Fenelli, G.B., 387
Funegard, E., 185
Gadsby, J.W., 270
Gaskin, P.N., 692
Gillespie, D., 249
Gillham, R.W., 402
Graham, J., 262, 365, 405
Gray, M.N., 405
Haberfield, C.M., 276
Handa, Y.P., 255
Hanna, T.H., 269
Harry, D.G., 233
Haug, M.D., 507
Hayhoe, H.N., 393
He, G.N., 320
Heidebrecht, A.C., 330, 342
Henderson, P., 330, 342
Hermann, S., 676
Hitchman, R., 167
Hodge, W.E., 167
Hoogendoorn, E., 692
Hou, E., 601
Hungr, O., 697
Jacob, K., 580
Johnson, K.A., 789
Johnston, I.W., 276
Joshi, R.C., 472
Jouanna, P., 119, 166
Kabir, M.G., 58
Kaiser, P.K., 129
Kamphuis, J.W., 692
Kaniaru, K., 496
Karalis, T.K., 90
Kay, J.N., 418
Konrad, J.-M., 203, 726
Kostak, B., 835
Kuerbis, R.H., 1
Kulhawy, F.H., 418
La Rochelle, P., 568, 687
Ladanyi, B., 8
Lafleur, D.W., 105
Lafleur, J., 285
Lapierre, C., 761
Law, K.T., 164, 320, 580
Lee, Y.N., 461
Leroueil, S., 305, 568, 687, 761
Leung, C.F., 546
Lo, K.Y., 461, 496
Locat, J., 294, 761
Locker, J.G., 520
Lutenegger, A.J., 58
Martin, C.D., 631
Mayne, P.W., 418
McCammon, A.W., 726
McCormick, G., 749
McCreath, D., 407
Mesri, G., 259
Meyerhof, G.G., 19
Montes, P., 617
Morel, J.-F., 8
Morgenstern, N.R., 195
Morin, P.J.J., 165
Mourato, D., 774
Muhunthan, B., 266
Murti, V., 245
Naumoski, N., 330, 342
Negussey, D., 601
Nicholson, R.V., 402
Nixon, J.F., 530
Novak, M., 813
Oswell, J.M., 162
Paikowsky, S.G., 429
Pappin, J.W., 330, 342
Peirce, J.J., 268
Picarelli, L., 387
Pritchard, M.A., 823
Quigley, R.M., 177, 271
Raven, K.G., 105
Reardon, E.J., 402
Richards, E.A., 224
Robertson, P.K., 151, 249
Rowe, R.K., 177, 484, 841
Roy, M., 687
Rudolph, D.L., 590
Saadat, F., 365, 405
Saix, C., 119, 166
Sarkis, G., 285
Sastry, V.V.R.N., 19
Savigny, K.W., 659, 823
Sayao, A., 601
Sayegh, G., 647
Scott, J.D., 224
Seeber, L., 580
Sham, W.K., 79
Shields, D., 185
Silvestri, V., 285, 617
Simmons, J.V., 129
Sitar, N., 789
Sladen, J.A., 162
Soulié, M., 285, 617, 647
Sridharan, A., 404
Srithar, T., 752
Storey, J.M.E., 268
Sudicky, E.A., 590
Sweezey, R.A., 105
Tavenas, F., 305, 568, 687

Thomas, S.D., 79
Tuttle, M., 580
Vaid, Y.P., 1
Van Gassen, W., 601, 698
Vaziri, H.H., 802
Vucetic, M., 29
Weemees, I., 557
Wheeler, S.J., 79
Whitman, R.V., 429
Wijeweera, H., 472
Windisch, E.J., 373
Woeller, D.J., 249
Wong, C.L.Y., 68
Wong, L.C., 507
Wu, W., 159
Yan, L., 441
Yanful, E.K., 271, 507
Yin, J.-H., 262, 365
Yong, R.N., 373, 774
Yoshida, N., 195
Zhang, Q.-Y., 405
Zhang, S., 145

CANADIAN GEOTECHNICAL JOURNAL | **REVUE CANADIENNE DE GÉOTECHNIQUE**

Volume 27, 1990

Subject Index / Index des matières[1]

A. General

04. *Textbooks, Handbooks, and Periodicals*
Advanced triaxial testing of soil and rock. *Edited by* R.T. Donaghe, R.C. Chaney, and M.L. Silver. Law, K.T., 164
Vane shear strength testing in soils, field and laboratory studies. *Edited by* Adrian F. Richards. Morin, P.J.J., 165
Field measurements in geotechnical engineering. *Edited by* S. Sakurai. Hanna, T.H., 269
Alternative dispute resolution for the construction industry. *Published by* the Association of Soil and Foundation Engineers. Gadsby, J.W., 270
Rock mechanics principles in engineering practice. *By* J.A. Hudson. McCreath, D., 407
Landslides: extent and economic significance. *Edited by* E.E. Brabb and B.L. Harrod. Cruden, D.M., 408
The frozen earth: Fundamentals of geocryology. *By* P.J. Williams and M.W. Smith. Nixon, J.F., 530
Ground water models: scientific and regulatory applications. Rowe, R.K., 841.

08. *Professional Ethics, Legal Requirements, Codes of Practice, and Standardization*
Alternative dispute resolution for the construction industry. *Published by* the Association of Soil and Foundation Engineers. Gadsby, J.W., 270

B. Geological and Environmental Aspects

01. *Formation of Soils and Rocks*
A statistical evaluation of some engineering properties of eastern Canadian clays. Windisch, É.J., and Yong, R.N., 373
The pore pressure field built up in a rapidly eroded soil mass. Fenelli, G.B., and Picarelli, L., 387
Rock mechanics principles in engineering practice. *By* J.A. Hudson. McCreath, D., 407
Time-dependent deformation behaviour of Queenston shale. Lo, K.Y., and Lee, Y.N., 461
Contaminant migration through fractured till into an underlying aquifer. Rowe, R.K., and Booker, J.R., 484

02. *Hydrogeological Aspects*
Monitoring well into abandoned deep-well disposal formations at Sarnia, Ontario. Raven, K.G., Lafleur, D.W., and Sweezey, R.A., 105
Laboratory determination of chloride diffusion coefficient in an intact shale. Barone, F.S., Rowe, R.K., and Quigley, R.M., 177
Tritium, oxygen-18, and deuterium diffusion at the Confederation Road landfill site, Sarnia, Ontario, Canada. Yanful, E.K., and Quigley, R.M., 271
Foundation problems in Champlain clays during droughts. I: Rainfall deficits in Montréal (1930–1988). Silvestri, V., Soulié, M., Lafleur, J., Sarkis, G., and Bekkouche, N., 285
Analysis of the *in situ* constant-head permeability test in clays. Tavenas, F., Diene, M., and Leroueil, S., 305
Constitutive modelling of a compacted sand-bentonite mixture using three-modulus hypoelasticity. Yin, J.-H., Saadat, F., and Graham, J., 365
The pore pressure field built up in a rapidly eroded soil mass. Fenelli, G.B., and Picarelli, L., 387
Reduction of acid generation in mine tailings through the use of moisture-retaining cover layers as oxygen barriers: Discussion. Barbour, S.L., 398
Reduction of acid generation in mine tailings through the use of moisture-retaining cover layers as oxygen barriers: Reply. Nicholson, R.V., Gillham, R.W., Cherry, J.A., and Reardon, E.J., 402
Contaminant migration through fractured till into an underlying aquifer. Rowe, R.K., and Booker, J.R., 484
The impact of synthetic leachate on the hydraulic conductivity of a smectitic till underlying a landfill near Saskatoon, Saskatchewan. Yanful, E.K., Haug, M.D., and Wong, L.C., 507
Mercury intrusion and permeability of Louiseville clay. Lapierre, C., Leroueil, S., and Locat, J., 761.
Hydrologic conditions leading to debris-flow initiation. Johnson, K.A., and Sitar, N., 789.

03. *Mass Movements and Land Subsidence*
A reassessment of transport mechanisms of some rock avalanches in the Mackenzie Mountains, Yukon and Northwest Territories, Canada. Kaiser, P.K., and Simmons, J.V., 129
The pore pressure field built up in a rapidly eroded soil mass. Fenelli, G.B., and Picarelli, L., 387
Landslides: extent and economic significance. *Edited by* E.E. Brabb and B.L. Harrod. Cruden, D.M., 408
Predicting deposition of debris flows in mountain channels. Benda, L.E., and Cundy, T.W., 409
Hydrologic conditions leading to debris-flow initiation. Johnson, K.A., and Sitar, N., 789.
Numerical modelling of toppling. Pritchard, M.A., and Savigny, K.W., 823.

04. *Seismic Activity and Crustal Movements*
Evaluation of excess pore pressures and drainage conditions around driven piles using the cone penetration test with pore pressure measurements. Robertson, P.K., Woeller, D.J., and Gillespie, D., 249

[1] Based on the International Geotechnical Classification System (IGC) as revised in 1981.

An energy approach for assessing seismic liquefaction potential. Law, K.T., Cao, Y.L., and He, G.N., 320
Seismic response and design for structures located on soft clay sites. Heidebrecht, A.C., Henderson, P., Naumoski, N., and Pappin, J.W., 330
Site response effects for structures located on sand sites. Henderson, P., Heidebrecht, A.C., Naumoski, N., and Pappin, J.W., 342

06. *Submarine Geological Aspects*
Gas pressure in unsaturated offshore soils. Wheeler, S.J., Sham, W.K., and Thomas, S.D., 79

07. —
Evaluation of excess pore pressures and drainage conditions around driven piles using the cone penetration test with pore pressure measurements. Robertson, P.K., Woeller, D.J., and Gillespie, D., 249
Analysis of the *in situ* constant-head permeability test in clays. Tavenas, F., Diene, M., and Leroueil, S., 305

09. *Geomorphologic Aspects and Terrain Classification*
Norman Wells pipeline permafrost and terrain monitoring: geothermal and geomorphic observations, 1984–1987. Burgess, M.M., and Harry, D.G., 233
The pore pressure field built up in a rapidly eroded soil mass. Fenelli, G.B., and Picarelli, L., 387
Landslides: extent and economic significance. *Edited by* E.E. Brabb and B.L. Harrod. Cruden, D.M., 408

11. *Description of Regional Soil and Rock Conditions*
A reassessment of transport mechanisms of some rock avalanches in the Mackenzie Mountains, Yukon and Northwest Territories, Canada. Kaiser, P.K., and Simmons, J.V., 129
Norman Wells pipeline permafrost and terrain monitoring: geothermal and geomorphic observations, 1984–1987. Burgess, M.M., and Harry, D.G., 233
Foundation problems in Champlain clays during droughts. I: Rainfall deficits in Montréal (1930–1988). Silvestri, V., Soulié, M., Lafleur, J., Sarkis, G., and Bekkouche, N., 285
An energy approach for assessing seismic liquefaction potential. Law, K.T., Cao, Y.L., and He, G.N., 320
Seismic response and design for structures located on soft clay sites. Heidebrecht, A.C., Henderson, P., Naumoski, N., and Pappin, J.W., 330
Site response effects for structures located on sand sites. Henderson, P., Heidebrecht, A.C., Naumoski, N., and Pappin, J.W., 342
A statistical evaluation of some engineering properties of eastern Canadian clays. Windisch, É.J., and Yong, R.N., 373
Landslides: extent and economic significance. *Edited by* E.E. Brabb and B.L. Harrod. Cruden, D.M., 408
Predicting deposition of debris flows in mountain channels. Benda, L.E., and Cundy, T.W., 409
Contaminant migration through fractured till into an underlying aquifer. Rowe, R.K., and Booker, J.R., 484
The impact of synthetic leachate on the hydraulic conductivity of a smectitic till underlying a landfill near Saskatoon, Saskatchewan. Yanful, E.K., Haug, M.D., and Wong, L.C., 507
Soil temperatures and freezing indices at depth. McCormick, G., 749.
Numerical modelling of toppling. Pritchard, M.A., and Savigny, K.W., 823.
The moire crack gauges on the crown of the Frank Slide. Kostak, B., and Cruden, D.M., 835.

12. *Other Environmental Aspects*
Monitoring well into abandoned deep-well disposal formations at Sarnia, Ontario. Raven, K.G., Lafleur, D.W., and Sweezey, R.A., 105
The impact of synthetic leachate on the hydraulic conductivity of a smectitic till underlying a landfill near Saskatoon, Saskatchewan. Yanful, E.K., Haug, M.D., and Wong, L.C., 507
Influence of polysaccharides on kaolinite structure and properties in a kaolinite–water system. Yong, R.N., and Mourato, D., 774.

C. Site Investigations

02. *Geophysical Surveys*
Simulation of downhole and crosshole seismic tests on sand using the hydraulic gradient similitude method. Yan, L., and Byrne, P.M., 441

03. *Probings (Soundings)*
Radial expansion of cylindrical cavities in sandy soils: application to pressuremeter tests. de Sousa Coutinho, A.G.F., 737.

05. *Boring Techniques and Equipment*
Soil classification using the cone penetration test. Robertson, P.K., 151
Observations on the development of pore-water stresses during piezocone penetration in clays. Mayne, P.W., Kulhawy, F.H., and Kay, J.N., 418
Contaminant migration through fractured till into an underlying aquifer. Rowe, R.K., and Booker, J.R., 484

06. *Sampling*

07. *Measurement of Field Conditions (incl. Post-Construction Monitoring)*
In situ estimation of the coefficient of consolidation in clays. Kabir, M.G., and Lutenegger, A.J., 58
Monitoring well into abandoned deep-well disposal formations at Sarnia, Ontario. Raven, K.G., Lafleur, D.W., and Sweezey, R.A., 105

A reassessment of transport mechanisms of some rock avalanches in the Mackenzie Mountains, Yukon and Northwest Territories, Canada. Kaiser, P.K., and Simmons, J.V., 129
Soil classification using the cone penetration test. Robertson, P.K., 151
Creep rates of spray ice. Shields, D., Domaschuk, L., and Funegard, E., 185
Norman Wells pipeline permafrost and terrain monitoring: geothermal and geomorphic observations, 1984–1987. Burgess, M.M., and Harry, D.G., 233
Evaluation of excess pore pressures and drainage conditions around driven piles using the cone penetration test with pore pressure measurements. Robertson, P.K., Woeller, D.J., and Gillespie, D., 249
Tritium, oxygen-18, and deuterium diffusion at the Confederation Road landfill site, Sarnia, Ontario, Canada. Yanful, E.K., and Quigley, R.M., 271
Foundation problems in Champlain clays during droughts. I: Rainfall deficits in Montréal (1930-1988). Silvestri, V., Soulié, M., Lafleur, J., Sarkis, G., and Bekkouche, N., 285
Thirty years of secondary consolidation in sensitive marine clay. Crawford, C.B., and Bozozuk, M., 315
An energy approach for assessing seismic liquefaction potential. Law, K.T., Cao, Y.L., and He, G.N., 320
Seismic response and design for structures located on soft clay sites. Heidebrecht, A.C., Henderson, P., Naumoski, N., and Pappin, J.W., 330
Site response effects for structures located on sand sites. Henderson, P., Heidebrecht, A.C., Naumoski, N., and Pappin, J.W., 342
A statistical evaluation of some engineering properties of eastern Canadian clays. Windisch, É.J., and Yong, R.N., 373
The pore pressure field built up in a rapidly eroded soil mass. Fenelli, G.B., and Picarelli, L., 387
Field frost heave measurement and prediction during periods of seasonal frost. Hayhoe, H.N., and Balchin, D., 393
Observations on the development of pore-water stresses during piezocone penetration in clays. Mayne, P.W., Kulhawy, F.H., and Kay, J.N., 418
Simulation of downhole and crosshole seismic tests on sand using the hydraulic gradient similitude method. Yan, L., and Byrne, P.M., 441
Hydraulic fracture in earth and rock-fill dams. Lo, K.Y., and Kaniaru, K., 496
Hydrologic conditions leading to debris-flow initiation. Johnson, K.A., and Sitar, N., 789.
The moire crack gauges on the crown of the Frank Slide. Kostak, B., and Cruden, D.M., 835.

08. *Field Testing (excl. Tests for Engineering Properties, see Groups D and F)*
In situ estimation of the coefficient of consolidation in clays. Kabir, M.G., and Lutenegger, A.J., 58
Soil classification using the cone penetration test. Robertson, P.K., 151
Evaluation of excess pore pressures and drainage conditions around driven piles using the cone penetration test with pore pressure measurements. Robertson, P.K., Woeller, D.J., and Gillespie, D., 249
Field frost heave measurement and prediction during periods of seasonal frost. Hayhoe, H.N., and Balchin, D., 393
Observations on the development of pore-water stresses during piezocone penetration in clays. Mayne, P.W., Kulhawy, F.H., and Kay, J.N., 418
Simulation of downhole and crosshole seismic tests on sand using the hydraulic gradient similitude method. Yan, L., and Byrne, P.M., 441

D. Soil Properties: Laboratory and In-Situ Determinations

00. *General*
Effect of internal confinement on compression strength of frozen sand. Ladanyi, B., and Morel, J.-F., 8
A normalizing relation for granular materials. Wong, C.L.Y., 68
Appareil triaxial pour l'étude du comportement thermique de sols non saturés. Saix, C., et Jouanna, P., 119

01. *Classification and Description of Soils*
Soil classification using the cone penetration test. Robertson, P.K., 151
A statistical evaluation of some engineering properties of eastern Canadian clays. Windisch, É.J., and Yong, R.N., 373
Observations on the development of pore-water stresses during piezocone penetration in clays. Mayne, P.W., Kulhawy, F.H., and Kay, J.N., 418

02. *Physico-Chemical Properties*
Monitoring well into abandoned deep-well disposal formations at Sarnia, Ontario. Raven, K.G., Lafleur, D.W., and Sweezey, R.A., 105
Laboratory determination of chloride diffusion coefficient in an intact shale. Barone, F.S., Rowe, R.K., and Quigley, R.M., 177
Compressive strength and creep behavior of hydrate-consolidated sand. Cameron, I., Handa, Y.P., and Baker, T.H.W., 255
Influence of changes in methanol concentration on clay particle interactions: Discussion. Muhunthan, G., 266
Influence of changes in methanol concentration on clay particle interactions: Reply. Storey, J.M.E., and Peirce, J.J., 268
Tritium, oxygen-18, and deuterium diffusion at the Confederation Road landfill site, Sarnia, Ontario, Canada. Yanful, E.K., and Quigley, R.M., 271
Laboratory investigations on the lime stabilization of sensitive clays: shear strength development. Locat, J., Bérubé, M.-A., and Choquette, M., 294
Strength and volume change behaviour of a sand–bentonite mixture: Discussion. Sridharan, A., 404
Strength and volume change behaviour of a sand–bentonite mixture: Reply. Graham, J., Saadat, F., Gray, M.N., Dixon, D.A., and Zhang, Q.-Y., 405
The impact of synthetic leachate on the hydraulic conductivity of a smectitic till underlying a landfill near Saskatoon, Saskatchewan. Yanful, E.K., Haug, M.D., and Wong, L.C., 507

Solute partitioning in freezing soils. Konrad, J.-M., and McCammon, A.W., 726.
Influence of polysaccharides on kaolinite structure and properties in a kaolinite–water system. Yong, R.N., and Mourato, D., 774.

03. *Composition, Structure, Density, and Water Contents*
Effect of internal confinement on compression strength of frozen sand. Ladanyi, B., and Morel, J.-F., 8
Compressibilité des argiles gonflantes non saturées à partir des essais rhéologiques. Karalis, T.K., 90
A failure criterion for stiff soils and rocks exhibiting softening. Yoshida, N., Morgenstern, N.R., and Chan, D.H., 195
Foundation problems in Champlain clays during droughts. I: Rainfall deficits in Montréal (1930–1988). Silvestri, V., Soulié, M., Lafleur, J., Sarkis, G., and Bekkouche, N., 285
Constitutive modelling of a compacted sand–bentonite mixture using three-modulus hypoelasticity. Yin, J.-H., Saadat, F., and Graham, J., 365
Compressive strength behavior of fine-grained frozen soils. Wijeweera, H., and Joshi, R.C., 472

04. *Hydraulic Properties*
Stress path and steady state. Vaid, Y.P., Chung, E.K.F., and Kuerbis, R.H., 1
Sand–bentonite liners: predicting permeability from laboratory tests. Chapuis, R.P., 47
In situ estimation of the coefficient of consolidation in clays. Kabir, M.G., and Lutenegger, A.J., 58
Gas pressure in unsaturated offshore soils. Wheeler, S.J., Sham, W.K., and Thomas, S.D., 79
Monitoring well into abandoned deep-well disposal formations at Sarnia, Ontario. Raven, K.G., Lafleur, D.W., and Sweezey, R.A., 105
New equipment for densification of granular soils at depth. Campanella, R.G., Hitchman, R., and Hodge, W.E., 167
Sand–bentonite liners: field control methods. Chapuis, R.P., 216
Evaluation of excess pore pressures and drainage conditions around driven piles using the cone penetration test with pore pressure measurements. Robertson, P.K., Woeller, D.J., and Gillespie, D., 249
Foundation problems in Champlain clays during droughts. I: Rainfall deficits in Montréal (1930–1988). Silvestri, V., Soulié, M., Lafleur, J., Sarkis, G., and Bekkouche, N., 285
Observations on the development of pore-water stresses during piezocone penetration in clays. Mayne, P.W., Kulhawy, F.H., and Kay, J.N., 418
Hydraulic fracture in earth and rock-fill dams. Lo, K.Y., and Kaniaru, K., 496
The impact of synthetic leachate on the hydraulic conductivity of a smectitic till underlying a landfill near Saskatoon, Saskatchewan. Yanful, E.K., Haug, M.D., and Wong, L.C., 507
Mercury intrusion and permeability of Louiseville clay. Lapierre, C., Leroueil, S., and Locat, J., 761.

05. *Compressibility and Swelling*
Gas pressure in unsaturated offshore soils. Wheeler, S.J., Sham, W.K., and Thomas, S.D., 79
Compressibilité des argiles gonflantes non saturées à partir des essais rhéologiques. Karalis, T.K., 90
The behaviour of very loose sand in the triaxial compression test: Discussion. Wu, W., 159
The behaviour of very loose sand in the triaxial compression test: Reply. Sladen, J.A., and Oswell, J.M., 162
Determination of time factor in a combined vertical and radial consolidation. Murti, V., 245
Compressive strength and creep behavior of hydrate-consolidated sand. Cameron, I., Handa, Y.P., and Baker, T.H.W., 255
Viscous–elastic–plastic modelling of one-dimensional time-dependent behaviour of clays: Discussion. Mesri, G., 259
Viscous–elastic–plastic modelling of one-dimensional time-dependent behaviour of clays: Reply. Yin, J.-H., and Graham, J., 262
Foundation problems in Champlain clays during droughts. I: Rainfall deficits in Montréal (1930–1988). Silvestri, V., Soulié, M., Lafleur, J., Sarkis, G., and Bekkouche, N., 285
Thirty years of secondary consolidation in sensitive marine clay. Crawford, C.B., and Bozozuk, M., 315
Constitutive modelling of a compacted sand–bentonite mixture using three-modulus hypoelasticity. Yin, J.-H., Saadat, F., and Graham, J., 365
Strength and volume change behaviour of a sand–bentonite mixture: Discussion. Sridharan, A., 404
Strength and volume change behaviour of a sand–bentonite mixture: Reply. Graham, J., Saadat, F., Gray, M.N., Dixon, D.A., and Zhang, Q.-Y., 405
Consolidation analysis of oil sand masses under applied temperature changes. Srithar, T., and Byrne, P., 752.

06. *Shear-Deformation and Strength Properties*
Stress path and steady state. Vaid, Y.P., Chung, E.K.F., and Kuerbis, R.H., 1
Normalized behavior of clay under irregular cyclic loading. Vucetic M., 29
A normalizing relation for granular materials. Wong, C.L.Y., 68
The behaviour of very loose sand in the triaxial compression test: Discussion. Wu, W., 159
The behaviour of very loose sand in the triaxial compression test: Reply. Sladen, J.A., and Oswell, J.M., 162
New equipment for densification of granular soils at depth. Campanella, R.G., Hitchman, R., and Hodge, W.E., 167
Creep rates of spray ice. Shields, D., Domaschuk, L., and Funegard, E., 185
A failure criterion for stiff soils and rocks exhibiting softening. Yoshida, N., Morgenstern, N.R., and Chan, D.H., 195
Stresses and deformations in a reinforced soil slope. Chalaturnyk, R.J., Scott, J.D., Chan, D.H.K., and Richards, E.A., 224
Viscous–elastic–plastic modelling of one-dimensional time-dependent behaviour of clays: Discussion. Mesri, G., 259
Viscous–elastic–plastic modelling of one-dimensional time-dependent behaviour of clays: Reply. Yin, J.-H., and Graham, J., 262
Laboratory investigations on the lime stabilization of sensitive clays: shear strength development. Locat, J., Bérubé, M.-A., and Choquette, M., 294
Collapse of cohesive overburden following removal of support. Craig, W.H., 355
Constitutive modelling of a compacted sand–bentonite mixture using three-modulus hypoelasticity. Yin, J.-H., Saadat, F., and Graham, J., 365

A statistical evaluation of some engineering properties of eastern Canadian clays. Windisch, É.J., and Yong, R.N., 373
Strength and volume change behaviour of a sand–bentonite mixture: Discussion. Sridharan, A., 404
Strength and volume change behaviour of a sand–bentonite mixture: Reply. Graham, J., Saadat, F., Gray, M.N., Dixon, D.A., and Zhang, Q.-Y., 405
Compressive strength behavior of fine-grained frozen soils. Wijeweera, H., and Joshi, R.C., 472
Differential shear movements at soil–geotextile interfaces. Eigenbrod, K.D., 520
Radial expansion of cylindrical cavities in sandy soils: application to pressuremeter tests. de Sousa Coutinho, A.G.F., 737.
Consolidation analysis of oil sand masses under applied temperature changes. Srithar, T., and Byrne, P., 752.
Numerical analysis of oil sand under nonisothermal conditions. Vaziri, H.H., and Byrne, P.M., 802.

07. *Dynamic Properties*
Normalized behavior of clay under irregular cyclic loading. Vucetic M., 29
An energy approach for assessing seismic liquefaction potential. Law, K.T., Cao, Y.L., and He, G.N., 320
Seismic response and design for structures located on soft clay sites. Heidebrecht, A.C., Henderson, P., Naumoski, N., and Pappin, J.W., 330
Site response effects for structures located on sand sites. Henderson, P., Heidebrecht, A.C., Naumoski, N., and Pappin, J.W., 342
Stiffness constants and interaction factors for vertical response of pile groups. El Sharnouby, B., and Novak, M., 813.

08. *Thermal Properties*
Effect of internal confinement on compression strength of frozen sand. Ladanyi, B., and Morel, J.-F., 8
Appareil triaxial pour l'étude du comportement thermique de sols non saturés. Saix, C., et Jouanna, P., 119
Erratum : Modélisation thermo-hydro-mécanique d'un sol par méthode mixte. Saix, C., et Jouanna, P., 166
Segregation potential – pressure – salinity relationships near thermal state for a clayey silt. Konrad, J.-M., 203
Norman Wells pipeline permafrost and terrain monitoring: geothermal and geomorphic observations, 1984–1987. Burgess, M.M., and Harry, D.G., 233
Field frost heave measurement and prediction during periods of seasonal frost. Hayhoe, H.N., and Balchin, D., 393
Simulation of downhole and crosshole seismic tests on sand using the hydraulic gradient similitude method. Yan, L., and Byrne, P.M., 441
Compressive strength behavior of fine-grained frozen soils. Wijeweera, H., and Joshi, R.C., 472
Soil temperatures and freezing indices at depth. McCormick, G., 749.
Numerical analysis of oil sand under nonisothermal conditions. Vaziri, H.H., and Byrne, P.M., 802.

09. *Compactibility*
New equipment for densification of granular soils at depth. Campanella, R.G., Hitchman, R., and Hodge, W.E., 167

10. *Properties of Soil-Additive Mixtures*
Sand–bentonite liners: predicting permeability from laboratory tests. Chapuis, R.P., 47
Sand–bentonite liners: field control methods. Chapuis, R.P., 216
Laboratory investigations on the lime stabilization of sensitive clays: shear strength development. Locat, J., Bérubé, M.-A., and Choquette, M., 294
Influence of polysaccharides on kaolinite structure and properties in a kaolinite–water system. Yong, R.N., and Mourato, D., 774.

E. Analysis of Soil-Engineering Problems

01. *Stress Analysis*
Stress path and steady state. Vaid, Y.P., Chung, E.K.F., and Kuerbis, R.H., 1
Stresses and deformations in a reinforced soil slope. Chalaturnyk, R.J., Scott, J.D., Chan, D.H.K., and Richards, E.A., 224

02. *Deformation and Settlement Problems*
Stresses and deformations in a reinforced soil slope. Chalaturnyk, R.J., Scott, J.D., Chan, D.H.K., and Richards, E.A., 224
Determination of time factor in a combined vertical and radial consolidation. Murti, V., 245
Foundation problems in Champlain clays during droughts. I: Rainfall deficits in Montréal (1930–1988). Silvestri, V., Soulié, M., Lafleur, J., Sarkis, G., and Bekkouche, N., 285
Thirty years of secondary consolidation in sensitive marine clay. Crawford, C.B., and Bozozuk, M., 315
Collapse of cohesive overburden following removal of support. Craig, W.H., 355
Constitutive modelling of a compacted sand–bentonite mixture using three-modulus hypoelasticity. Yin, J.-H., Saadat, F., and Graham, J., 365
Radial expansion of cylindrical cavities in sandy soils: application to pressuremeter tests. de Sousa Coutinho, A.G.F., 737.
Consolidation analysis of oil sand masses under applied temperature changes. Srithar, T., and Byrne, P., 752.
Numerical analysis of oil sand under nonisothermal conditions. Vaziri, H.H., and Byrne, P.M., 802.

03. *Bearing Capacity of Shallow Foundations*
A closed-form probabilistic solution for evaluating the bearing capacity of shallow foundations. Cherubini, C., 526

04. *Bearing Capacity of Piles and other Deep Foundations*
Behaviour of flexible piles under inclined loads. Sastry, V.V.R.N., and Meyerhof, G.G., 19
The effects of plugging on pile performance and design. Paikowsky, S.G., and Whitman, R.V., 429
Stiffness constants and interaction factors for vertical response of pile groups. El Sharnouby, B., and Novak, M., 813.

06. *Stability of Slopes and Excavations*
A reassessment of transport mechanisms of some rock avalanches in the Mackenzie Mountains, Yukon and Northwest Territories, Canada. Kaiser, P.K., and Simmons, J.V., 129
Convergence aspect of limit equilibrium methods for slopes. Chowdhury, R.N., and Zhang, S., 145
Stresses and deformations in a reinforced soil slope. Chalaturnyk, R.J., Scott, J.D., Chan, D.H.K., and Richards, E.A., 224
The pore pressure field built up in a rapidly eroded soil mass. Fenelli, G.B., and Picarelli, L., 387
Predicting deposition of debris flows in mountain channels. Benda, L.E., and Cundy, T.W., 409
Consolidation analysis of oil sand masses under applied temperature changes. Srithar, T., and Byrne, P., 752.
Hydrologic conditions leading to debris-flow initiation. Johnson, K.A., and Sitar, N., 789.
Numerical modelling of toppling. Pritchard, M.A., and Savigny, K.W., 823.

07. *Seepage and other Hydraulic Problems*
Sand–bentonite liners: predicting permeability from laboratory tests. Chapuis, R.P., 47
Erratum : Modélisation thermo-hydro-mécanique d'un sol par méthode mixte. Saix, C., et Jouanna, P., 166
Tritium, oxygen-18, and deuterium diffusion at the Confederation Road landfill site, Sarnia, Ontario, Canada. Yanful, E.K., and Quigley, R.M., 271
Foundation problems in Champlain clays during droughts. I: Rainfall deficits in Montréal (1930–1988). Silvestri, V., Soulié, M., Lafleur, J., Sarkis, G., and Bekkouche, N., 285
Analysis of the *in situ* constant-head permeability test in clays. Tavenas, F., Diene, M., and Leroueil, S., 305
Constitutive modelling of a compacted sand–bentonite mixture using three-modulus hypoelasticity. Yin, J.-H., Saadat, F., and Graham, J., 365
Hydraulic fracture in earth and rock-fill dams. Lo, K.Y., and Kaniaru, K., 496
The impact of synthetic leachate on the hydraulic conductivity of a smectitic till underlying a landfill near Saskatoon, Saskatchewan. Yanful, E.K., Haug, M.D., and Wong, L.C., 507
Soil temperatures and freezing indices at depth. McCormick, G., 749.
Mercury intrusion and permeability of Louiseville clay. Lapierre, C., Leroueil, S., and Locat, J., 761.
Hydrologic conditions leading to debris-flow initiation. Johnson, K.A., and Sitar, N., 789.

08. *Dynamic Problems*
Normalized behavior of clay under irregular cyclic loading. Vucetic M., 29
Seismic response and design for structures located on soft clay sites. Heidebrecht, A.C., Henderson, P., Naumoski, N., and Pappin, J.W., 330
Site response effects for structures located on sand sites. Henderson, P., Heidebrecht, A.C., Naumoski, N., and Pappin, J.W., 342
The effects of plugging on pile performance and design. Paikowsky, S.G., and Whitman, R.V., 429
Stiffness constants and interaction factors for vertical response of pile groups. El Sharnouby, B., and Novak, M., 813.

09. *Frost Action and Heat-Transfer Problems*
Segregation potential – pressure – salinity relationships near thermal state for a clayey silt. Konrad, J.-M., 203
Norman Wells pipeline permafrost and terrain monitoring: geothermal and geomorphic observations, 1984–1987. Burgess, M.M., and Harry, D.G., 233
Field frost heave measurement and prediction during periods of seasonal frost. Hayhoe, H.N., and Balchin, D., 393

12. *Soil-Structure Interaction*
An energy approach for assessing seismic liquefaction potential. Law, K.T., Cao, Y.L., and He, G.N., 320
Seismic response and design for structures located on soft clay sites. Heidebrecht, A.C., Henderson, P., Naumoski, N., and Pappin, J.W., 330
Site response effects for structures located on sand sites. Henderson, P., Heidebrecht, A.C., Naumoski, N., and Pappin, J.W., 342

13. *Mathematical Methods, Computer Analysis*
Convergence aspect of limit equilibrium methods for slopes. Chowdhury, R.N., and Zhang, S., 145
A failure criterion for stiff soils and rocks exhibiting softening. Yoshida, N., Morgenstern, N.R., and Chan, D.H., 195
Stresses and deformations in a reinforced soil slope. Chalaturnyk, R.J., Scott, J.D., Chan, D.H.K., and Richards, E.A., 224
Analysis of the *in situ* constant-head permeability test in clays. Tavenas, F., Diene, M., and Leroueil, S., 305
Constitutive modelling of a compacted sand–bentonite mixture using three-modulus hypoelasticity. Yin, J.-H., Saadat, F., and Graham, J., 365
A closed-form probabilistic solution for evaluating the bearing capacity of shallow foundations. Cherubini, C., 526
Thirteenth Canadian Geotechnical Colloquium: Ice design criteria for wide arctic structures. Blanchet, D., 701.
Radial expansion of cylindrical cavities in sandy soils: application to pressuremeter tests. de Sousa Coutinho, A.G.F., 737.
Consolidation analysis of oil sand masses under applied temperature changes. Srithar, T., and Byrne, P., 752.
Numerical analysis of oil sand under nonisothermal conditions. Vaziri, H.H., and Byrne, P.M., 802.
Stiffness constants and interaction factors for vertical response of pile groups. El Sharnouby, B., and Novak, M., 813.

14. *Model Test Analysis*
Behaviour of flexible piles under inclined loads. Sastry, V.V.R.N., and Meyerhof, G.G., 19
Erratum : Modélisation thermo-hydro-mécanique d'un sol par méthode mixte. Saix, C., et Jouanna, P., 166
Collapse of cohesive overburden following removal of support. Craig, W.H., 355
Constitutive modelling of a compacted sand–bentonite mixture using three-modulus hypoelasticity. Yin, J.-H., Saadat, F., and Graham, J., 365

F. Rock Properties: Laboratory and In-Situ Determinations

00. *General*
Determination of the fracture toughness of a saturated soft rock. Haberfield, C.M., and Johnston, I.W., 276
Rock mechanics principles in engineering practice. *By* J.A. Hudson. McCreath, D., 407

02. *Physico-Chemical Properties*
Determination of the fracture toughness of a saturated soft rock. Haberfield, C.M., and Johnston, I.W., 276

06. *Shear-Deformation and Strength Properties*
A failure criterion for stiff soils and rocks exhibiting softening. Yoshida, N., Morgenstern, N.R., and Chan, D.H., 195
Determination of the fracture toughness of a saturated soft rock. Haberfield, C.M., and Johnston, I.W., 276
Rock mechanics principles in engineering practice. *By* J.A. Hudson. McCreath, D., 407
Time-dependent deformation behaviour of Queenston shale. Lo, K.Y., and Lee, Y.N., 461
The moire crack gauges on the crown of the Frank Slide. Kostak, B., and Cruden, D.M., 835.

G. Analysis of Rock-Engineering Problems

01. *Stress Analysis*
Rock mechanics principles in engineering practice. *By* J.A. Hudson. McCreath, D., 407

02. *Deformation and Displacement Problems*
Rock mechanics principles in engineering practice. *By* J.A. Hudson. McCreath, D., 407
Time-dependent deformation behaviour of Queenston shale. Lo, K.Y., and Lee, Y.N., 461
Numerical modelling of toppling. Pritchard, M.A., and Savigny, K.W., 823.
The moire crack gauges on the crown of the Frank Slide. Kostak, B., and Cruden, D.M., 835.

06. *Stability of Rock Slopes and Open Excavations*
Rock mechanics principles in engineering practice. *By* J.A. Hudson. McCreath, D., 407
Landslides: extent and economic significance. *Edited by* E.E. Brabb and B.L. Harrod. Cruden, D.M., 408
Numerical modelling of toppling. Pritchard, M.A., and Savigny, K.W., 823.
The moire crack gauges on the crown of the Frank Slide. Kostak, B., and Cruden, D.M., 835.

13. *Mathematical Methods, Computer Analysis*
A failure criterion for stiff soils and rocks exhibiting softening. Yoshida, N., Morgenstern, N.R., and Chan, D.H., 195
Numerical modelling of toppling. Pritchard, M.A., and Savigny, K.W., 823.

H. Design, Construction, and Behaviour of Engineering Works

00. *General*
Segregation potential - pressure - salinity relationships near thermal state for a clayey silt. Konrad, J.-M., 203
Norman Wells pipeline permafrost and terrain monitoring: geothermal and geomorphic observations, 1984–1987. Burgess, M.M., and Harry, D.G., 233
Thirty years of secondary consolidation in sensitive marine clay. Crawford, C.B., and Bozozuk, M., 315

01. *Foundations of Structures (other than dams)*
Behaviour of flexible piles under inclined loads. Sastry, V.V.R.N., and Meyerhof, G.G., 19
Evaluation of excess pore pressures and drainage conditions around driven piles using the cone penetration test with pore pressure measurements. Robertson, P.K., Woeller, D.J., and Gillespie, D., 249
Thirty years of secondary consolidation in sensitive marine clay. Crawford, C.B., and Bozozuk, M., 315
Seismic response and design for structures located on soft clay sites. Heidebrecht, A.C., Henderson, P., Naumoski, N., and Pappin, J.W., 330
Site response effects for structures located on sand sites. Henderson, P., Heidebrecht, A.C., Naumoski, N., and Pappin, J.W., 342
The effects of plugging on pile performance and design. Paikowsky, S.G., and Whitman, R.V., 429
A closed-form probabilistic solution for evaluating the bearing capacity of shallow foundations. Cherubini, C., 526
Stiffness constants and interaction factors for vertical response of pile groups. El Sharnouby, B., and Novak, M., 813.

03. *Offshore Structures*
Thirteenth Canadian Geotechnical Colloquium: Ice design criteria for wide arctic structures. Blanchet, D., 701.

04. *Dams and Reservoirs*
Sand–bentonite liners: predicting permeability from laboratory tests. Chapuis, R.P., 47
Hydraulic fracture in earth and rock-fill dams. Lo, K.Y., and Kaniaru, K., 496

05. *Tunnels and Underground Openings*
Collapse of cohesive overburden following removal of support. Craig, W.H., 355
Time-dependent deformation behaviour of Queenston shale. Lo, K.Y., and Lee, Y.N., 461

08. *Conduits and Culverts*
Norman Wells pipeline permafrost and terrain monitoring: geothermal and geomorphic observations, 1984–1987. Burgess, M.M., and Harry, D.G., 233

09. *Slopes and Unsupported Excavations*
Stresses and deformations in a reinforced soil slope. Chalaturnyk, R.J., Scott, J.D., Chan, D.H.K., and Richards, E.A., 224
Landslides: extent and economic significance. *Edited by* E.E. Brabb and B.L. Harrod. Cruden, D.M., 408

10. *Land Use*
Monitoring well into abandoned deep-well disposal formations at Sarnia, Ontario. Raven, K.G., Lafleur, D.W., and Sweezey, R.A., 105
Tritium, oxygen-18, and deuterium diffusion at the Confederation Road landfill site, Sarnia, Ontario, Canada. Yanful, E.K., and Quigley, R.M., 271

K. Construction Methods and Equipment

00. *General*
Alternative dispute resolution for the construction industry. *Published by* the Association of Soil and Foundation Engineers. Gadsby, J.W., 270

01. *Drainage Methods*
Determination of time factor in a combined vertical and radial consolidation. Murti, V., 245

02. *Sealing and Grouting Processes*
Sand–bentonite liners: predicting permeability from laboratory tests. Chapuis, R.P., 47
Sand–bentonite liners: field control methods. Chapuis, R.P., 216
Constitutive modelling of a compacted sand–bentonite mixture using three-modulus hypoelasticity. Yin, J.-H., Saadat, F., and Graham, J., 365
Reduction of acid generation in mine tailings through the use of moisture-retaining cover layers as oxygen barriers: Discussion. Barbour, S.L., 398
Reduction of acid generation in mine tailings through the use of moisture-retaining cover layers as oxygen barriers: Reply. Nicholson, R.V., Gillham, R.W., Cherry, J.A., and Reardon, E.J., 402
Strength and volume change behaviour of a sand–bentonite mixture: Discussion. Sridharan, A., 404
Strength and volume change behaviour of a sand–bentonite mixture: Reply. Graham, J., Saadat, F., Gray, M.N., Dixon, D.A., and Zhang, Q.-Y., 405

05. *Compaction Processes*
New equipment for densification of granular soils at depth. Campanella, R.G., Hitchman, R., and Hodge, W.E., 167
Sand–bentonite liners: field control methods. Chapuis, R.P., 216
Laboratory investigations on the lime stabilization of sensitive clays: shear strength development. Locat, J., Bérubé, M.-A., and Choquette, M., 294

07. *Piles and Pile Driving, incl. Sheet Piles*
Evaluation of excess pore pressures and drainage conditions around driven piles using the cone penetration test with pore pressure measurements. Robertson, P.K., Woeller, D.J., and Gillespie, D., 249
The effects of plugging on pile performance and design. Paikowsky, S.G., and Whitman, R.V., 429

12. *Offshore Construction*
Creep rates of spray ice. Shields, D., Domaschuk, L., and Funegard, E., 185

13. *Protection Measures against Frost*
Field frost heave measurement and prediction during periods of seasonal frost. Hayhoe, H.N., and Balchin, D., 393

14. *Measures for Improving Deformation and Stability Conditions, Reconstruction of Foundations*
New equipment for densification of granular soils at depth. Campanella, R.G., Hitchman, R., and Hodge, W.E., 167

M. Materialsof Construction

04. *Plastics and Similar Materials*
Differential shear movements at soil–geotextile interfaces. Eigenbrod, K.D., 520

S. Snow and Ice Mechanics and Engineering

02. *Properties of Snow and Ice*
Creep rates of spray ice. Shields, D., Domaschuk, L., and Funegard, E., 185
Field frost heave measurement and prediction during periods of seasonal frost. Hayhoe, H.N., and Balchin, D., 393
Thirteenth Canadian Geotechnical Colloquium: Ice design criteria for wide arctic structures. Blanchet, D., 701.
Solute partitioning in freezing soils. Konrad, J.-M., and McCammon, A.W., 726.

03. *Snow and Ice Engineering*
Thirteenth Canadian Geotechnical Colloquium: Ice design criteria for wide arctic structures. Blanchet, D., 701.

T. Related Disciplines

14. *Environmental Problems and Nature Conservation*
Laboratory determination of chloride diffusion coefficient in an intact shale. Barone, F.S., Rowe, R.K., and Quigley, R.M., 177
Tritium, oxygen-18, and deuterium diffusion at the Confederation Road landfill site, Sarnia, Ontario, Canada. Yanful, E.K., and Quigley, R.M., 271